

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	20	(increment\$4 near3 updat\$3) and (rebuild\$3 or re-build\$3 or recreat\$5 or re-creat\$4 or regenerat\$5 or re-generat\$4 or re-construct\$6 or reconstruct\$6 or reorgani\$8 or re-organi\$8 or re-establish\$6 or reestablish\$6) near4 index\$5	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/06 06:47
2	BRS	L2	4215	(increment\$4 near3 updat\$3)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/06 06:47
3	BRS	L3	130	(increment\$4 near3 updat\$3) near9 index\$5	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/06 07:41
4	BRS	L4	980	(rebuild\$3 or re-build\$3 or recreat\$5 or re-creat\$4 or regenerat\$5 or re-generat\$4 or re-construct\$6 or reconstruct\$6 or reorgani\$8 or re-organi\$8 or re-establish\$6 or reestablish\$6) near4 index\$5	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/06 07:17
5	BRS	L5	61606	(heuristic\$6 or method or technique or approach\$4 or logic or rule\$8 or function) near9 index\$5	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/06 07:05

	Type	L #	Hits	Search Text	DBs	Time Stamp
6	BRS	L6	4464	updat\$3 near5 index\$5	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/11/06 06:51
7	BRS	L7	2076	5 and 6	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/11/06 06:49
8	BRS	L8	79	7 and 3	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/11/06 06:50
9	BRS	L9	2979	5 and 707/\$.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/11/06 06:53
10	BRS	L10	3557	updat\$3 near3 index\$5	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/11/06 06:51

	Type	L #	Hits	Search Text	DBs	Time Stamp
11	BRS	L11	642	9 and 10	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/06 06:51
12	BRS	L12	1704	updat\$3 near index\$5	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/06 07:05
13	BRS	L13	865	5 and 12	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/06 06:52
14	BRS	L14	383	13 and 707/\$.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/06 07:05
15	BRS	L15	24	14 and (increment\$4 near3 updat\$3) near9 index\$5	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/06 06:53

	Type	L #	Hits	Search Text	DBs	Tim Stamp
16	BRS	L16	10	15 and 4	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/06 06:56
17	BRS	L17	498	4 and 5	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/06 06:59
18	BRS	L18	187	17 and 707/\$.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/06 06:59
19	BRS	L19	187	18 and 707/\$.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/06 07:14
20	BRS	L20	70	19 and 12	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/06 07:00

	Type	L #	Hits	Search Text	DBs	Time Stamp
21	BRS	L21	61496	(heuristic\$6 or method or technique or approach\$4 or logic or rule\$8 or function or user or interface) near6 index\$5	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/06 07:12
22	BRS	L22	3296	21 and 707/\$.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/06 07:05
23	BRS	L23	388	22 and updat\$3 near index\$5	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/06 07:13
24	BRS	L24	24	23 and (increment\$4 near3 updat\$3) near9 index\$5	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/06 07:25
25	BRS	L25	47515	(heuristic\$6 or method or technique or approach\$4 or logic or rule\$8 or function or user or interface) near4 index\$5	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/06 07:16

	Type	L #	Hits	Search Text	DBs	Time Stamp
26	BRS	L26	1306	25 and updat\$3 near2 index\$5	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/06 07:42
27	BRS	L27	29	26 and (increment\$4 near updat\$3) near4 index\$5	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/06 07:17
28	BRS	L28	23	27 and 707/\$.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/06 07:16
29	BRS	L29	55773	(heuristic\$6 or method or technique or approach\$4 or logic or rule\$8 or function or user or interface or program or software or application or module) near4 index\$5	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/06 07:23
30	BRS	L30	3233	29 and 707/\$.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/06 07:16

	Type	L #	Hits	Search Text	DBs	Time Stamp
31	BRS	L31	554	30 and updat\$3 near2 index\$5	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/06 07:23
32	BRS	L32	23	31 and (increment\$4 near updat\$3) near4 index\$5	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/06 07:17
33	BRS	L33	7	32 and (rebuild\$3 or re-build\$3 or recreat\$5 or re-creat\$4 or regenerat\$5 or re-generat\$4 or re-construct\$6 or reconstruct\$6 or reorgani\$8 or re-organi\$8 or re-establish\$6 or reestablish\$6) near4 index\$5	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/06 07:19
34	BRS	L34	95	31 and (rebuild\$3 or re-build\$3 or recreat\$5 or re-creat\$4 or regenerat\$5 or re-generat\$4 or re-construct\$6 or reconstruct\$6 or reorgani\$8 or re-organi\$8 or re-establish\$6 or reestablish\$6) near4 index\$5	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/06 07:41
35	BRS	L35	58396	(heuristic\$6 or method or technique or approach\$4 or logic or rule\$8 or function or user or interface or program or software or application or module or matrix or matric) near4 index\$5	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/06 07:23

	Type	L #	Hits	Search Text	DBs	Time Stamp
36	BRS	L36	1520	35 and updat\$3 near2 index\$5	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/06 07:23
37	BRS	L37	100	36 and (rebuild\$3 or re-build\$3 or recreat\$5 or re-creat\$4 or regenerat\$5 or re-generat\$4 or re-construct\$6 or reconstruct\$6 or reorgani\$8 or re-organi\$8 or re-establish\$6 or reestablish\$6) near2 index\$5	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/06 07:24
38	BRS	L38	14	37 and (increment\$4 near3 updat\$3) near9 index\$5	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/06 07:26
39	BRS	L39	16	37 and (increment\$4 near3 updat\$3)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/06 07:26
40	BRS	L40	980	(rebuild\$3 or re-build\$3 or recreat\$5 or re-creat\$4 or regenerat\$5 or re-generat\$4 or re-construct\$6 or reconstruct\$6 or reorgani\$8 or re-organi\$8 or re-establish\$6 or reestablish\$6) near4 index\$5	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/06 07:41

	Type	L #	Hits	Search Text	DBs	Time Stamp
41	BRS	L41	16	40 and ((increment\$4 near2 updat\$3) near9 index\$5)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/06 07:42
42	BRS	L42	15	41 and updat\$3 near2 index\$5	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/11/06 07:42

L Number	Hits	Search Text	DB	Time stamp
1	20	(increment\$4 near3 updat\$3) and (rebuild\$3 or re-build\$3 or recreat\$5 or re-creat\$4 or regenerat\$5 or re-generat\$4 or re-construct\$6 or reconstruct\$6 or reorgani\$8 or re-organi\$8 or re-establish\$6 or reestablish\$6) near4 index\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 06:47
2	4215	(increment\$4 near3 updat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 06:47
3	130	(increment\$4 near3 updat\$3) near9 index\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 07:41
4	980	(rebuild\$3 or re-build\$3 or recreat\$5 or re-creat\$4 or regenerat\$5 or re-generat\$4 or re-construct\$6 or reconstruct\$6 or reorgani\$8 or re-organi\$8 or re-establish\$6 or reestablish\$6) near4 index\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 07:17
5	61606	(heuristic\$6 or method or technique or approach\$4 or logic or rule\$8 or function) near9 index\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 07:05
6	4464	updat\$3 near5 index\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 06:51
7	2076	((heuristic\$6 or method or technique or approach\$4 or logic or rule\$8 or function) near9 index\$5) and (updat\$3 near5 index\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 06:49
8	79	((heuristic\$6 or method or technique or approach\$4 or logic or rule\$8 or function) near9 index\$5) and (updat\$3 near5 index\$5)) and ((increment\$4 near3 updat\$3) near9 index\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 06:50
9	2979	((heuristic\$6 or method or technique or approach\$4 or logic or rule\$8 or function) near9 index\$5) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 06:53
10	3557	updat\$3 near3 index\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 06:51
11	642	((heuristic\$6 or method or technique or approach\$4 or logic or rule\$8 or function) near9 index\$5) and 707/\$.ccls.) and (updat\$3 near3 index\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 06:51
12	1704	updat\$3 near index\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 07:05
13	865	((heuristic\$6 or method or technique or approach\$4 or logic or rule\$8 or function) near9 index\$5) and (updat\$3 near index\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 06:52

14	383	((((heuristic\$6 or method or technique or approach\$4 or logic or rule\$8 or function) near9 index\$5) and (updat\$3 near index\$5)) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 07:05
15	24	(((((heuristic\$6 or method or technique or approach\$4 or logic or rule\$8 or function) near9 index\$5) and (updat\$3 near index\$5)) and 707/\$.ccls.) and (increment\$4 near3 updat\$3) near9 index\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 06:53
16	10	(((((heuristic\$6 or method or technique or approach\$4 or logic or rule\$8 or function) near9 index\$5) and (updat\$3 near index\$5) and 707/\$.ccls.) and (increment\$4 near3 updat\$3) near9 index\$5) and ((rebuild\$3 or re-build\$3 or recreat\$5 or re-creat\$4 or regenerat\$5 or re-generat\$4 or re-construct\$6 or reconstruct\$6 or reorgani\$8 or re-organi\$8 or re-establish\$6 or reestablish\$6) near4 index\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 06:56
17	498	((rebuild\$3 or re-build\$3 or recreat\$5 or re-creat\$4 or regenerat\$5 or re-generat\$4 or re-construct\$6 or reconstruct\$6 or reorgani\$8 or re-organi\$8 or re-establish\$6 or reestablish\$6) near4 index\$5) and ((heuristic\$6 or method or technique or approach\$4 or logic or rule\$8 or function) near9 index\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 06:59
18	187	((((rebuild\$3 or re-build\$3 or recreat\$5 or re-creat\$4 or regenerat\$5 or re-generat\$4 or re-construct\$6 or reconstruct\$6 or reorgani\$8 or re-organi\$8 or re-establish\$6 or reestablish\$6) near4 index\$5) and ((heuristic\$6 or method or technique or approach\$4 or logic or rule\$8 or function) near9 index\$5)) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 06:59
19	187	(((((rebuild\$3 or re-build\$3 or recreat\$5 or re-creat\$4 or regenerat\$5 or re-generat\$4 or re-construct\$6 or reconstruct\$6 or reorgani\$8 or re-organi\$8 or re-establish\$6 or reestablish\$6) near4 index\$5) and ((heuristic\$6 or method or technique or approach\$4 or logic or rule\$8 or function) near9 index\$5)) and 707/\$.ccls.) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 07:14
20	70	(((((rebuild\$3 or re-build\$3 or recreat\$5 or re-creat\$4 or regenerat\$5 or re-generat\$4 or re-construct\$6 or reconstruct\$6 or reorgani\$8 or re-organi\$8 or re-establish\$6 or reestablish\$6) near4 index\$5) and ((heuristic\$6 or method or technique or approach\$4 or logic or rule\$8 or function) near9 index\$5)) and 707/\$.ccls.) and 707/\$.ccls.) and (updat\$3 near index\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 07:00
21	61496	(heuristic\$6 or method or technique or approach\$4 or logic or rule\$8 or function or user or interface) near6 index\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 07:12
22	3296	((heuristic\$6 or method or technique or approach\$4 or logic or rule\$8 or function or user or interface) near6 index\$5) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 07:05
23	388	((((heuristic\$6 or method or technique or approach\$4 or logic or rule\$8 or function or user or interface) near6 index\$5) and 707/\$.ccls.) and updat\$3 near index\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 07:13
24	24	(((((heuristic\$6 or method or technique or approach\$4 or logic or rule\$8 or function or user or interface) near6 index\$5) and 707/\$.ccls.) and updat\$3 near index\$5) and (increment\$4 near3 updat\$3) near9 index\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 07:25
25	47515	(heuristic\$6 or method or technique or approach\$4 or logic or rule\$8 or function or user or interface) near4 index\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 07:16

26	1306	((heuristic\$6 or method or technique or approach\$4 or logic or rule\$8 or function or user or interface) near4 index\$5) and updat\$3 near2 index\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 07:42
27	29	((((heuristic\$6 or method or technique or approach\$4 or logic or rule\$8 or function or user or interface) near4 index\$5) and updat\$3 near2 index\$5) and (increment\$4 near updat\$3) near4 index\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 07:17
28	23	((((heuristic\$6 or method or technique or approach\$4 or logic or rule\$8 or function or user or interface) near4 index\$5) and updat\$3 near2 index\$5) and (increment\$4 near updat\$3) near4 index\$5) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 07:16
29	55773	(heuristic\$6 or method or technique or approach\$4 or logic or rule\$8 or function or user or interface or program or software or application or module) near4 index\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 07:23
30	3233	((heuristic\$6 or method or technique or approach\$4 or logic or rule\$8 or function or user or interface or program or software or application or module) near4 index\$5) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 07:16
31	554	((((heuristic\$6 or method or technique or approach\$4 or logic or rule\$8 or function or user or interface or program or software or application or module) near4 index\$5) and 707/\$.ccls.) and updat\$3 near2 index\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 07:23
32	23	((((heuristic\$6 or method or technique or approach\$4 or logic or rule\$8 or function or user or interface or program or software or application or module) near4 index\$5) and 707/\$.ccls.) and updat\$3 near2 index\$5) and (increment\$4 near updat\$3) near4 index\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 07:17
33	7	(((((heuristic\$6 or method or technique or approach\$4 or logic or rule\$8 or function or user or interface or program or software or application or module) near4 index\$5) and 707/\$.ccls.) and updat\$3 near2 index\$5) and (increment\$4 near updat\$3) near4 index\$5) and (rebuild\$3 or re-build\$3 or recreat\$5 or re-creat\$4 or regenerat\$5 or re-generat\$4 or re-construct\$6 or reconstruct\$6 or reorgani\$8 or re-organi\$8 or re-establish\$6 or reestablish\$6) near4 index\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 07:19
34	95	((((heuristic\$6 or method or technique or approach\$4 or logic or rule\$8 or function or user or interface or program or software or application or module) near4 index\$5) and 707/\$.ccls.) and updat\$3 near2 index\$5) and (rebuild\$3 or re-build\$3 or recreat\$5 or re-creat\$4 or regenerat\$5 or re-generat\$4 or re-construct\$6 or reconstruct\$6 or reorgani\$8 or re-organi\$8 or re-establish\$6 or reestablish\$6) near4 index\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 07:41
35	58396	(heuristic\$6 or method or technique or approach\$4 or logic or rule\$8 or function or user or interface or program or software or application or module or matrix or matric) near4 index\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 07:23
36	1520	((heuristic\$6 or method or technique or approach\$4 or logic or rule\$8 or function or user or interface or program or software or application or module or matrix or matric) near4 index\$5) and updat\$3 near2 index\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 07:23

37	100	((((heuristic\$6 or method or technique or approach\$4 or logic or rule\$8 or function or user or interface or program or software or application or module or matrix or matric) near4 index\$5) and updat\$3 near2 index\$5) and (rebuild\$3 or re-build\$3 or recreat\$5 or re-creat\$4 or regenerat\$5 or re-generat\$4 or re-construct\$6 or reconstruct\$6 or reorgani\$8 or re-organi\$8 or re-establish\$6 or reestablish\$6) near2 index\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 07:24
38	14	((((heuristic\$6 or method or technique or approach\$4 or logic or rule\$8 or function or user or interface or program or software or application or module or matrix or matric) near4 index\$5) and updat\$3 near2 index\$5) and (rebuild\$3 or re-build\$3 or recreat\$5 or re-creat\$4 or regenerat\$5 or re-generat\$4 or re-construct\$6 or reconstruct\$6 or reorgani\$8 or re-organi\$8 or re-establish\$6 or reestablish\$6) near2 index\$5) and (increment\$4 near3 updat\$3) near9 index\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 07:26
39	16	((((heuristic\$6 or method or technique or approach\$4 or logic or rule\$8 or function or user or interface or program or software or application or module or matrix or matric) near4 index\$5) and updat\$3 near2 index\$5) and (rebuild\$3 or re-build\$3 or recreat\$5 or re-creat\$4 or regenerat\$5 or re-generat\$4 or re-construct\$6 or reconstruct\$6 or reorgani\$8 or re-organi\$8 or re-establish\$6 or reestablish\$6) near2 index\$5) and (increment\$4 near3 updat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 07:26
40	980	(rebuild\$3 or re-build\$3 or recreat\$5 or re-creat\$4 or regenerat\$5 or re-generat\$4 or re-construct\$6 or reconstruct\$6 or reorgani\$8 or re-organi\$8 or re-establish\$6 or reestablish\$6) near4 index\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 07:41
41	16	((rebuild\$3 or re-build\$3 or recreat\$5 or re-creat\$4 or regenerat\$5 or re-generat\$4 or re-construct\$6 or reconstruct\$6 or reorgani\$8 or re-organi\$8 or re-establish\$6 or reestablish\$6) near4 index\$5) and ((increment\$4 near2 updat\$3) near9 index\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 07:42
42	15	((rebuild\$3 or re-build\$3 or recreat\$5 or re-creat\$4 or regenerat\$5 or re-generat\$4 or re-construct\$6 or reconstruct\$6 or reorgani\$8 or re-organi\$8 or re-establish\$6 or reestablish\$6) near4 index\$5) and ((increment\$4 near2 updat\$3) near9 index\$5)) and updat\$3 near2 index\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 07:42